



Certificate of conformity of the factory production control

0036 CPR 9174 017
Revision 02

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Connecting flue pipe type FERROLUX models

DN 115	EN 1856-2	T600 N1 D Vm L01200 G375 NM
DN 120	EN 1856-2	T600 N1 D Vm L01200 G375 NM
DN 130	EN 1856-2	T600 N1 D Vm L01200 G390 NM
DN 150	EN 1856-2	T600 N1 D Vm L01200 G450 NM
DN 160	EN 1856-2	T600 N1 D Vm L01200 G480 NM
DN 180	EN 1856-2	T600 N1 D Vm L01200 G540 NM
DN 200	EN 1856-2	T600 N1 D Vm L01200 G600 NM

produced by

Jeremias GmbH
Opfenrieder Straße 11-14
91717 Wassertrüdingen

in the manufacturing plant

Jeremias D-91717 Wassertrüdingen	Jeremias Polska PL-62 200 Gniezno	Jeremias España ES-48340 Amorebieta	Jeremias CZ CZ-434 01 Most Rudolice
---	--	--	--

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-2:2009-06

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented in the following report: TÜV SÜD Industrie Service GmbH no. A 1621-00/07 and A 1621-01/11.

This certificate was first issued on 2007-08-21 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2014-05-08

Johannes Steiglechner
Leiter Zertifizierungsstelle Bauprodukte (EG)